

FARM EQUIPMENTS

| MANUFACTURER | VEHICLE | PAGE |
|---|---|-------|
| EICHER TRACTORS | • 235 DI | 4 |
| ESCORTS LTD. (TRACTOR DIV.) | • ESCORTS - E 325, E 335, POWER TRACK 440, 450 | 4 |
| ESCORTS LTD. | • ESCORTS FT45 / FT 50 / FT 55 • ESCORTS E25 | 4 |
| | • ALL MODELS BELOW 50 HP • ESCORTS E355 NDB • ESCORTS E355 N | 4 |
| | • ESCORTS E355 • ESCORTS E325 • ESCORTS E335NDB | 4-5 |
| | • ESCORTS POWER TRACK 430 | 5 |
| | • ESCORTS POWER TRACK 440 / POWER TRACK 450 | 5 |
| ESCORTS LTD. (FARMTRAC) | • MODEL: FT 50 / FT 55 / FT 60 / FORD 3600 / FORD 3610 | 5 |
| FORCE MOTORS | • OX-45 / OX-35 / BALWAN 400 / BALWAN 450 / BALWAN 500 | 5 |
| | • OX-25 / BALWAN 300 | 6 |
| GREAVES TRACTOR PROJECT | • SAME GREAVES 503 | 6 |
| GUJARAT TRACTORS | • HINDUSTAN HWD35 • HINDUSTAN HWD50 / G-614 | 6 |
| | • HINDUSTAN G-453 / G-312 | 7 |
| HMT | • ZETOR 2522 / 3022 • ZETOR 3522 / 3511 | 7 |
| | • ZETOR 4511 / 4022 / 4922 • ZETOR 5911 / 7511 | 8 |
| INTERNATIONAL TRACTORS | • SONALIKA, SOLIS 2 (30HP, 32HP, 35HP, 40HP, 45HP) | 9 |
| | • RENAULT CEREUS TRACTOR (55HP, 65HP, 75HP, 85HP) | 9 |
| JOHN DEERE | • MODEL 5103 (35HP) / MODEL 5203 (47HP) | 9 |
| | • MODEL 5310 (55HP) • KRISH PROJECT • X40 | 10 |
| MAHINDRA & MAHINDRA (F.E.S.) | • LOW H.P. MODELS : 225DI/255/265/265DI(30HP)/B275/275DI(39HP)/365 | 10 |
| | • HIGH H.P. MODELS : 475/475DI(42HP)/575/575DI (45HP)/5715/585/5815/595(50HP) | 10 |
| | • M&M 444 / 475 / 575 / 585 / 255 DI / 265 DI / 275 TO 2515 / 3015 • 235 DI • 2515 / 3015 | 11 |
| | • 45 HP TRACTOR | 11 |
| | • ARJUN TRACTOR - 445DI(42HP), 555DI(52HP), 605DI(60HP) | 11 |
| | • ARJUN TRACTOR - 4500(42HP), 6000(57HP), FULL SYNCHROMESH WITH 4 WHEEL DRIVE | 12 |
| | • DHRUV-35 TO 50 HP | 12 |
| | • SWARAJ 720 • SWARAJ 722 / 724 / 733 / 735 • SWARAJ SAMRAT 855 / 744 | 12-13 |
| NEW HOLLAND TRACTORS | • NHI 982 - 55 HP / NHI 971 - 75 HP • MDL PROJECT | 14 |



FARM EQUIPMENTS

| MANUFACTURER | VEHICLE | PAGE |
|-------------------------------------|--|-------|
| TRACTORS AND FARM EQUIPMENT | • 75 HP Tractor • AGCO Export | 14 |
| | • TAFE - MF 245 / MF 375 / MAHAN • TAFE - MF 1035/1035 DI/1025 | 14-15 |
| | • GAJRAJ - 60 HP TRACTOR • SAMRAT | 15 |
| TAFE MOTORS AND TRACTORS | • EICHER - 241 / 241 A | 16 |
| | • EICHER - 242 / 242 A, 312 & 364 | 16 |
| | • EICHER - 61HP VALTRA | 17 |
| UZEL CORPORATION | --- | 17 |
| VST TILLERS TRACTORS | --- | 17 |
| SNL BEARINGS LTD. | | |
| BAJAJ TEMPO | • OX-45 / OX-35 | 18 |
| | • EICHER-241 / 241 A | |
| ESCORTS LTD. (TRACTORS DIV.) | • ESCORTS-E 325, 335, 440, 450 | 18 |
| HMT | • ZETOR 2522 / 3022 / 3522 | 18 |
| TAFE MOTORS & TRACTORS | • EICHER-242 EICHER - 242 A & 312 | 18 |



FARM EQUIPMENTS



FARM EQUIPMENTS

| Fitment Location | Mfr's Part No. | NRB No. | Dimensions | No. Off. |
|---|----------------|-----------------|-----------------|----------|
| EICHER TRACTORS | | | | |
| 235 DI | | | | |
| Engine Crank Case | 006001011B1 | N 314 | 70x150x35 | 1 |
| Engine Crank Case | 006001041B1 | NUP 315 | 75x160x37 | 1 |
| ESCORTS LTD. (TRACTOR DIV.) | | | | |
| ESCORTS - E 325, E 335, POWER TRACK 440, 450 | | | | |
| Agro Shaft | 54.31.01.09 | 6208 | 40 x 80 x 18 | 2 |
| Clutch Shaft | 54.31.01.09 | 6208 | 40 x 80 x 18 | 1 |
| Counter Shaft | 54.27.01.01 | 3 x 19.8 BR | 3 x 19.8 | 44 |
| Main Shaft, Front | 54.31.01.09 | 6208 | 40 x 80 x 18 | 1 |
| Main Shaft, Front | T22.10.17.60.0 | NUP 208 EG15 \$ | 40 x 80 x 18 | 1 |
| Main Shaft, Pilot Bearing | 84-NH-7120A | V 16 22 14 D | 1 x 1.3/8 x 7/8 | 1 |
| Main Shaft, Rear | 54.31.01.09 | 6208 C3 | 40 x 80 x 18 | 1 |
| P.T.O Shaft | 54.31.01.08 | 6207 | 35 x 72 x 17 | 2 |
| Reduction Shaft | 54.31.01.09 | 6208 | 40 x 80 x 18 | 2 |
| ESCORTS LTD. | | | | |
| ESCORTS FT45 / FT 50 / FT 55 | | | | |
| High-Low Front | D10000740 | 6212 | 60 x 110 x 22 | 1 |
| Transmission : | | | | |
| Intermediate Shaft Front | D10001990 | 30205 V | 25 x 52 x 16.25 | 1 |
| Transmission : Lay Shaft Front | D10019710 | 6210 | 50 x 90 x 20 | 1 |
| ESCORTS E25 | | | | |
| Front Wheel Outer | D10014260 | 30205 V | 25 x 52 x 16.25 | 2 |
| Rear Axle : Half Axle Shaft Outer | D10006770 | 6307 | 35 x 80 x 21 | 2 |
| ALL MODELS BELOW 50 HP | | | | |
| Counter H/L Gear | D10197940-A | BB 60364 | 56 x 61 x 35 | 1 |
| ESCORTS E355 NDB | | | | |
| Front Wheel Outer | D10014260 | 30205 V | 25 x 52 x 16.25 | 2 |
| Rear Axle : Half Axle Shaft Outer | D10006770 | 6307 | 35 x 80 x 21 | 2 |
| Transmission : Counter Shaft Front | D10020710 | 6209 | 45 x 85 x 19 | 1 |
| ESCORTS E355 N | | | | |
| Front Wheel Outer | D10014260 | 30205 V | 25 x 52 x 16.25 | 2 |
| Transmission : Counter Shaft Front | D10005150 | 6210 | 50 x 90 x 20 | 1 |
| ESCORTS E355 | | | | |
| Front Wheel Outer | D10014260 | 30205 V | 25 x 52 x 16.25 | 2 |
| Transmission : Counter Shaft Front | D10020710 | 6209 | 45 x 85 x 19 | 1 |
| Transmission : Counter Shaft Front | D10005150 | 6210 | 50 x 90 x 20 | 1 |
| ESCORTS E325 | | | | |
| Rear Wheel Reduction Gear | D10037190 | 6212 | 60 x 110 x 22 | 2 |
| Transmission : Counter Shaft Front | D10020710 | 6209 | 45 x 85 x 19 | 1 |

\$ ZF Steering Part No.



FARM EQUIPMENTS

| Fitment Location | Mfr's Part No. | NRB No. | Dimensions | No. Off. |
|---|-------------------|---------------|--------------------------|----------|
| ESCORTS E335NDB | | | | |
| Rear Wheel Reduction Gear | D10037190 | 6212 | 60 x 110 x 22 | 2 |
| Rear Axle : Half Axle Shaft Outer | D10006770 | 6307 | 35 x 80 x 21 | 2 |
| Transmission : Counter Shaft Front | D10020710 | 6209 | 45 x 85 x19 | 1 |
| ESCORTS POWER TRACK 430 | | | | |
| Front Wheel Outer | 54.32.01.08 | 30205 V | 25 x 52 x 16.25 | 2 |
| Rear Axle : Half Axle Shaft Outer | D10006770 | 6307 | 35 x 80 x 21 | 2 |
| Transmission : Counter Shaft Front | D10020710 | 6209 | 45 x 85 x 19 | 1 |
| Transmission : Counter Shaft Front | D10005150 | 6210 | 50 x 90 x 20 | 1 |
| ESCORTS POWER TRACK 440 / POWER TRACK 450 | | | | |
| Front Wheel Outer | 54.32.01.08 | 30205 V | 25 x 52 x 16.25 | 2 |
| Transmission : Counter Shaft Front | D10020710 | 6209 | 45 x 85 x 19 | 1 |
| Transmission : Counter Shaft Front | D10005150 | 6210 | 50 x 90 x 20 | 1 |
| ESCORTS LTD. (FARMTRAC) | | | | |
| MODEL: FT 50 / FT 55 / FT 60 / FORD 3600 / FORD 3610 | | | | |
| Drive Pinion Pilot | 76-NH-4A242-A | JC 8002 A | 30 x 62 x 19.05 | 1 |
| Front Wheel Inner | 88 NH 1200 AA | LM48548/510+ | 34.925 x 65.088 x 18.034 | 2 |
| Main Shaft Pilot Bearing | 84-NH-7120A | V 16 22 14 D | 1 x 1.3/8 x 7/8 | 1 |
| P.T.O Rear Shaft | 8A 7065 | 6207 C3 | 35 x 72 x 17 | 1 |
| FORCE MOTORS | | | | |
| OX-45 / OX-35 / BALWAN 400 / BALWAN 450 / BALWAN 500 | | | | |
| Bevel Pinion Front | B 00817 981 01 01 | 30 307 BV | 35 x 80 x 22.75 | 1 |
| Cluster Gear P.T.O | B 00817 981 03 01 | B 60051 | 20 x 28 x 20.2 | 4 |
| Driver Shaft Clutch End | B 00817 981 09 10 | DB 30 37 20 P | 30 x 37 x 20 | 1 |
| Drive Shaft Gear & Pinion | C 00062 500 62 05 | 6205 | 25 x 52 x 15 | 1 |
| Front Wheel Hub | B 00875 981 00 05 | 30204 BA | 20 x 47 x 15.25 | 2 |
| Hollow Shaft, Rear Side | 00 541 24 0036 | NJ 306 EG 15 | 30 x 72 x 19 | 1 |
| King Pin Brg | B 00875 981 00 01 | T-138 TR | 35 x 67 x 20 | 2 |
| Lay Shaft, Rear Side | B 00817 981 00 01 | NUP 208 EG 15 | 40 x 80 x 18 | 1 |
| Lay Shaft Front | C 00062 500 62 13 | 6206 | 30 x 62 x 16 | 1 |
| Pump Driver | B 00817 981 07 10 | B 18 22 17 | 18 x 22 x 17 | 2 |
| Pump Driver | B 00817 981 08 10 | DB 13 19 12 P | 13 x 19 x 12 | 1 |
| Steering | 816 903 4102\$ | JR 2001 | 37 x 55.55 x 8.8 | 2 |
| Steering | 734 804 0103\$ | 3 x 15.8 BR | 3 x 15.8 | 36 |

Part No. of \$ ZF Steering, + Only in FT 50/FT 55/FT 60



FARM EQUIPMENTS

| Fitment Location | Mfr's Part No. | NRB No. | Dimensions | No. Off. |
|---------------------------|-------------------|---------------|------------------|----------|
| OX-25 / BALWAN 300 | | | | |
| Double Spur Gear | B 00810 981 07 10 | B 60 122 | 23 x 28 x 24 | 3 |
| PTO Shaft | B 00810 981 02 10 | B 50743 DC2 | 22 x 29 x 15.7 | 1 |
| PTO Shaft | B 00810 981 03 10 | B 60 121 | 32 x 37 x 27 | 1 |
| Pinion Shaft | B 00810 981 04 10 | B 40 45 30 | 40 x 45 x 30 | 2 |
| Steering | 816 903 4102\$ | JR 2001 | 37 x 55.55 x 8.8 | 2 |
| Steering | 734 804 0103\$ | 3 x 15.8 BR | 3 x 15.8 | 36 |
| Transmission | B 0085 981 00 01 | NJ 2205 EG 15 | 25 x 52 x 18 | 1 |

GREAVES TRACTOR PROJECT

SAME GREAVES 503

| | | | | |
|---|--------------|-----------|-----------------|---|
| Engine - Flywheel | 2.2041.008.8 | 6204 | 20 x 47 x 14 | 1 |
| Front Wheel Inner | 2.2530.009.0 | 30307 BV | 35 x 80 x 22.75 | 2 |
| Hi-Low Gear | 2.2999.026.0 | B 61011 T | 35 x 45 x 20 | 2 |
| Power Take Off Shaft Front | 2.2062.012.0 | 6308 | 40 x 90 x 23 | 1 |
| Power Take Off Shaft Rear | 2.2062.011.0 | 6307 | 35 x 80 x 21 | 1 |
| Primary Shaft | 2.2042.012.0 | 6208 | 40 x 80 x 18 | 2 |
| PTO Shaft (Transmission) | 2.2060.009.0 | 6306 | 30 x 72 x 19 | 2 |
| Reverse Gear Shaft | 2.2063.009.0 | 6306 | 30 x 72 x 19 | 2 |
| Satellite Gears | 2.2999.260.0 | B 61010 D | 25 x 35 x 36 | 6 |
| Secondary Shaft | 2.2999.173.0 | B 61009 D | 25 x 35 x 16.2 | 1 |
| Transmission : Secondary Shaft | 2.2042.014.0 | 6210 | 50 x 90 x 20 | 2 |
| Transmission : Primary Reduction Shaft | 2.2060.011.0 | 6307 | 35 x 80 x 21 | 2 |

GUJARAT TRACTORS

HINDUSTAN HWD35

| | | | | |
|-----------------------------|--------|---------------|--------------|-----|
| Clutch Shaft | 971039 | 6208 | 40 x 80 x 18 | 1 |
| Drive Shaft, Rear | 971056 | 6305 | 25 x 62 x 17 | 1 |
| Dynamo - F & R | 971034 | 6203 | 17 x 40 x 12 | 1 |
| Hollow Clutch Shaft | 971914 | B 25 30 13 | 25 x 30 x 13 | 3 |
| Inj. Pump Drive Shaft-Front | 971141 | 6305 N | 25 x 62 x 17 | 1 |
| Reverse Gear | 971915 | B 60022 | 25 x 30 x 20 | 2 |
| Spline Shaft | 971925 | B 40 45 17 | 40 x 45 x 17 | 2 |
| Steering Column | 965489 | 2.5 x 15.8 BR | 2.5 x 15.8 | 130 |

HINDUSTAN HWD50 / G-614

| | | | | |
|-----------------------|--------|---------------|--------------|-----|
| Cam Shaft, Drive | 965227 | 6305 | 25 x 62 x 17 | 1 |
| Inj. Pump Drive Shaft | 965214 | 6205 | 25 x 52 x 15 | 1 |
| Inj. Pump Drive Shaft | 965215 | 6206 | 30 x 62 x 16 | 1 |
| Idler Gear | 965227 | 6305 | 25 x 62 x 17 | 2 |
| Primary Shaft | 965494 | 6 x 12 BPM | 6 x 12 | 28 |
| Splined Main Shaft | 965494 | 6 x 12 BPM | 6 x 12 | 36 |
| Steering Column | 965489 | 2.5 x 15.8 BR | 2.5 x 15.8 | 120 |

Part No. of \$ ZF Steering



FARM EQUIPMENTS

| Fitment Location | Mfr's Part No. | NRB No. | Dimensions | No. Off. |
|--------------------------------|----------------|------------|-----------------|----------|
| HINDUSTAN G-453 / G-312 | | | | |
| Clutch Hollow Shaft | 971039 | 6208 | 40 x 80 x 18 | 1 |
| Clutch Shaft, Front | 971915 | B 60022 | 25 x 30 x 20 | 2 |
| Drive Gear Shaft Front | 971037 | 6206 | 30 x 62 x 16 | 1 |
| Drive Shaft Front | 971055 | 6304 | 20 x 52 x 15 | 1 |
| Inj. Pump Cam Shaft | 971035 | 6204 | 20 x 47 x 14 | 2 |
| Inj. Pump Drive Shaft-Front | 971141 | 6305 N | 25 x 62 x 17 | 1 |
| Lower Intermediate Gear | 971034 | 6203 | 17 x 40 x 12 | 2 |
| Pinion Shaft, Front | 971925 | B 40 45 17 | 40 x 45 x 17 | 2 |
| P.T.O. Shaft Rear | 971037 | 6206 | 30 x 62 x 16 | 1 |
| Spline Shaft, Front | 971914 | B 25 30 13 | 25 x 30 x 13 | 2 |
| Upper Intermediate Gear | 971035 | 6204 | 20 x 47 x 14 | 2 |
| HMT | | | | |
| ZETOR 2522 / 3022 | | | | |
| Clutch Shaft, Rear | 971127 | 6208 N | 40 x 80 x 18 | 1 |
| Hollow Clutch Shaft | 971038 | 6207 | 35 x 72 x 17 | 1 |
| Hydraulic Pump Drive | — | DL 1816 | 18 x 24 x 16 | 2 |
| Hydraulic Pump | — | DL 2016 | 20 x 26 x 16 | 4 |
| Idler for Gear Pump | 971034 | 6203 | 17 x 40 x 12 | 2 |
| Inj. Pump Drive Shaft-Front | 971141 | 6305 N | 25 x 62 x 17 | 1 |
| Inj. Pump Drive Shaft, Front | 971141 | 6305 N | 25 x 62 x 17 | 1 |
| Lay Shaft, Front | 971127 | 6208 N | 40 x 80 x 18 | 1 |
| Lay Shaft, Rear | 971039 | 6208 | 40 x 80 x 18 | 1 |
| Main Shaft, Pilot Bearing | 99235112 | B 60051 | 20 x 28 x 20.2 | 1 |
| P.T.O. Shaft, Front | 971054 | 6303 | 17 x 47 x 14 | 1 |
| Reduction Hollow Shaft, Front | 971127 | 6208 N | 40 x 80 x 18 | 1 |
| Reduction Hollow Shaft, Rear | 971039 | 6208 | 40 x 80 x 18 | 1 |
| Reverse Idler | 99235408 | B 20 26 17 | 20 x 26 x 17 | 2 |
| Timing Idler Gear | 971035 | 6204 | 20 x 47 x 14 | 2 |
| Top Hollow Clutch Shaft | 99235228 | B 25 30 13 | 25 x 30 x 13 | 1 |
| Top Shaft, Rear | 99235318 | B 35 40 13 | 35 x 40 x 13 | 2 |
| Water Pump, Front | 971054 | 6303 | 17 x 47 x 14 | 1 |
| Water Pump, Rear | 971034 | 6203 | 17 x 40 x 12 | 1 |
| ZETOR 3522 / 3511 | | | | |
| Bevel Pinion Front & Rear | 9921581490 | 30 307 BV | 35 x 80 x 22.75 | 2 |
| Clutch Shaft, Rear | 971127 | 6208 N | 40 x 80 x 18 | 1 |
| Differential Shaft | 9920-11-1590 | 6308 | 40 x 90 x 23 | 4 |
| Gear Box | 99235328 | B 60054 | 35 x 40 x 27 | 1 |
| Gear Box | 99235315 | B 28 33 13 | 28 x 33 x 13 | 1 |
| Hollow Clutch Shaft | 971038 | 6207 | 35 x 72 x 17 | 1 |



FARM EQUIPMENTS

| Fitment Location | Mfr's Part No. | NRB No. | Dimensions | No. Off. |
|---------------------------------------|----------------|-------------|-----------------|----------|
| Idler for Gear Pump | 971034 | 6203 | 17 x 40 x 12 | 2 |
| Inj. Pump Drive Shaft-Front | 971141 | 6305 N | 25 x 62 x 17 | 1 |
| Lay Shaft, Front | 971127 | 6208 N | 40 x 80 x 18 | 1 |
| Lay Shaft, Rear | 971039 | 6208 | 40 x 80 x 18 | 1 |
| Main Shaft, Pilot Bearing | 99235112 | B 60051 | 20 x 28 x 20.2 | 1 |
| P.T.O. Shaft, Front | 971054 | 6303 | 17 x 47 x 14 | 1 |
| Reduction Hollow Shaft, Front | 971127 | 6208 N | 40 x 80 x 18 | 1 |
| Reduction Hollow Shaft, Rear | 971039 | 6208 | 40 x 80 x 18 | 1 |
| Reverse Idler | 99235408 | B 20 26 17 | 20 x 26 x 17 | 2 |
| Timing Idler Gear | 971035 | 6204 | 20 x 47 x 14 | 2 |
| Top Hollow Clutch Shaft | 99235228 | B 25 30 13 | 25 x 30 x 13 | 1 |
| Top Shaft, Rear | 99235318 | B 35 40 13 | 35 x 40 x 13 | 2 |
| Transmission | 99235113 | NW 22 30 20 | 22 x 30 x 20 | 1 |
| Water Pump, Front | 971054 | 6303 | 17 x 47 x 14 | 1 |
| Water Pump, Rear | 971034 | 6203 | 17 x 40 x 12 | 1 |
| ZETOR 4511 / 4022 / 4922 | | | | |
| Gear Box | 99235315 | B 28 33 13 | 28 x 33 x 13 | 1 |
| Gear Box | 99235328 | B 60054 | 35 x 40 x 27 | 1 |
| Main Shaft, Pilot Bearing | 99235112 | B 60051 | 20 x 28 x 20.2 | 2 |
| Transmission | 99235113 | NW 22 30 20 | 22 x 30 x 20 | 1 |
| ZETOR 5911 / 7511 | | | | |
| Front Wheel Outer | 9921 58129 | 30305 BV | 25 x 62 x 18.25 | 2 |
| Transmission | 99235315 | B 28 33 13 | 28 x 33 x 13 | 5 |
| Transmission | 99235319 | B 40 45 17 | 40 x 45 x 17 | 2 |
| Transmission | 99200315.9 | 6208 | 40 x 80 x 18 | 1 |
| Transmission | 99200111.29 | 6305 | 25 x 62 x 17 | 1 |
| Transmission : Clutch Hollow Shaft | 9920-03-1690 | 6209 | 45 x 85 x 19 | 1 |
| Transmission - Lay Shaft Front | 9920-03-1890 | 6211 | 55 x 100 x 21 | 1 |
| Transmission - Lay Shaft Rear | 9920-03-1890 | 6211 | 55 x 100 x 21 | 1 |
| Transmission - Reduction Hollow Shaft | 9920-03-1890 | 6211 | 55 x 100 x 21 | 2 |
| Transmission - Spline Shaft | 9920-11-1890 | 6311 | 55 x 120 x 29 | 1 |
| Valve Gear | 99200310.9 | 6203 | 17 x 40 x 12 | 2 |
| Valve Gear | 98201403.9 | 6305 N | 25 x 62 x 17 | 1 |
| Water Pump | 99200310.9 | 6203 | 17 x 40 x 12 | 1 |
| Water Pump | 99201110.9 | 6303 | 17 x 47 x 14 | 1 |



FARM EQUIPMENTS

| Fitment Location | Mfr's Part No. | NRB No. | Dimensions | No. Off. |
|------------------|----------------|---------|------------|----------|
|------------------|----------------|---------|------------|----------|

INTERNATIONAL TRACTORS

SONALIKA, SOLIS 2 (30HP, 32HP, 35HP, 40HP, 45HP)

| | | | | |
|-------------------------|----------------|---------------|-------------------------|-----|
| Bull Pinion, Right | M 32516 | DL 3020 | 30 x 38 x 20 | 1 |
| Bull Pinion Shaft, Left | M 32601 | BB 50347 | 42 x 46 x 51.4 | 1 |
| Bull Pinion Shaft | — | JL 118 | 17.462 x 22.225 x 12.70 | 1 |
| Bull Pinion Shaft | 4001142046 | BB 42 46 51.4 | 42x46x51.4 | 1 |
| Bull Pinion Shaft | 20004339AA | B 60484 TM | 40x45x27 | 2 |
| Hydraulic Pump Shaft | M 32551 | JL 108 | 5/8 x 13/16 x 1/2 | 1 |
| Intermediate Shaft | M 32511 | DL 2016 | 20 x 26 x 16 | 1 |
| Pilot & Planetary Gears | M 32428 | 3 x 21.8 BR | 3 x 21.8 | 82 |
| Planetary Gears | M 32427 | 3 x 13.8 BR | 3 x 13.8 | 142 |
| Steering | 816 903 4102\$ | JR 2001 | 37 x 55.55 x 8.8 | 2 |
| Steering | 734 804 0103\$ | 3 x 15.8 BR | 3 x 15.8 | 36 |

RENAULT CEREU\$ TRACTOR (55HP, 65HP, 75HP, 85HP)

| | | | |
|----------|------------------|---------------|---|
| 20002230 | AA DB 25 32 20P | 25 x 32 x 20 | 1 |
| 30014341 | AA 22 309 EB33 | 45 x 100 x 36 | 2 |
| 20011370 | AA DB 25 32 12P | 25 x 32 x 12 | 1 |
| 30009483 | B 60172 | 47 x 52 x 27 | 2 |
| 20001159 | AA B 60173 | 48 x 53 x 17 | 6 |
| 20001152 | AA B 60174 | 50 x 55 x 20 | 2 |
| 20001237 | AA DB 25 32 18PE | 25 x 32 x 18 | 2 |

JOHN DEERE

MODEL 5103 (35HP) / MODEL 5203 (47HP)

| | | | | |
|-------------------------------------|------------|-----------------|------------------|---|
| Below B range Drive Gear | RE 193 827 | AX K 25 42 | 25 x 42 x 2 | 1 |
| Below B range Drive Gear | R 193 826 | GS 25 42 | 25 x 42 x 3 | 2 |
| Clutch Input Shaft | RE 194238 | NJ 1011EP | 50 x 90 x 18 | 1 |
| Dual Clutch Shaft | RE 194 238 | NJ 1011EP | 55 x 90 x 18 | 1 |
| Dual PTO Shaft | R 125323 | IM 45 50 35 P | 45x50x35 | 2 |
| Driven Shaft- Below 4th Gear | RE 194239 | B 60151 | 40 x 45 x 13 | 2 |
| Driven Shaft- Below 4th Gear | RE 194334 | IMC 35 40 38.6 | 35 x 40 x 38.6 | 1 |
| Input Shaft- B range Drive Gear | RE 73015 | B 60 126 T | 35 x 42 x 16 | 1 |
| Planetary Pinion Carrier | AL 117653 | JC 8024 | 37 x 64.5 x 27 | 6 |
| Rear Axle | | 6212 | 60 x 110 x 22 | 1 |
| Rear Axle / Transmission | | 6309 | 45 x 100 x 25 | 1 |
| Reduction Shaft- Below A range Gear | RE 73016 | B 60 121 P | 32 x 37 x 27 | 1 |
| Reduction Shaft Assembly | R 140987 | IM 404534 | 40 x 45 x 34 | 1 |
| Reduction Shaft- Below A range Gear | R 140034 | IM 283230 D5 | 28 x 32 x 30 | 1 |
| Reduction Shaft- Below A range Gear | R 194740 | IM 28 32 35 | 28 x 32 x 35 | 1 |
| Transmission | | 6210 | 50 x 90 x 20 | 1 |
| Transmission | LVU23569 | IM 40 45 40 | 40 x 45 x 40 | 1 |
| Transmission | SU20133 | IM 354034 | 35 x 40 x 34 | 1 |
| Transmission | SU26241 | JRNU 34.939.920 | 34.9 x 39.9 x 20 | 1 |
| Transmission/Rear Axle | | 6307 | 35 x 80 x 21 | 1 |

Part No. of \$ ZF Steering



FARM EQUIPMENTS

| Fitment Location | Mfr's Part No. | NRB No. | Dimensions | No. Off. |
|--|----------------|----------------|--------------------------|----------|
| MODEL 5310 (55HP) | | | | |
| Differential Drive Shaft | RE 72081 | B 61005 TM | 30 x 40 x 20 | 1 |
| Park Pawl Cover Assembly | R 177717 | AXN 2 12 26 | 12 x 26 x 2 | 1 |
| Park Pawl Cover Assembly | R 177718 | CP 2 12 26 | 12 x 26 x 2 | 2 |
| Planetary Pinion Carrier | AL 76888 | JC 8021 | 37 x 64.5 x 31 | 6 |
| KRISH PROJECT | | | | |
| Top Shaft | RE276107 | B 60 228 | 35 x 43 x 26.5 | 1 |
| Top Shaft Rear | RE277033 | NJ 30 62 19 EP | 30 x 62 x 19 | 1 |
| X40 | | | | |
| Planetary Hub | LVA17425 | B 60483 D | 24 x 35 x 20 | 12 |
| MAHINDRA & MAHINDRA (F.E.S.) | | | | |
| LOW H.P. MODELS : 225DI/255/265/265DI(30HP)/B275/275DI(39HP)/365 | | | | |
| HIGH H.P. MODELS : 475/475DI(42HP)/575/575DI (45HP)/5715/585/5815/595(50HP) | | | | |
| Belt Pulley Drive Shaft Outer | 76491 H* | 6207 | 35 x 72 x 17 | 1 |
| Bull Pinion | 005550512 R 91 | NJ 309 | 45 x 100 x 25 | 2 |
| Constant Mesh Quill Gear | 001099653 R 91 | RL 1816 | 1.1/8" x 1.1/2" x 1" | 1 |
| Constant Mesh Quill Gear | 005554799 R 91 | RL 1812 | 1.1/8" x 1.3/8" x 3/4" | 1 |
| Counter Shaft, Rear (Old) | 294714 R 91 | 6208 | 40 x 80 x 18 | 1 |
| Counter Shaft, Rear (New) | 005554893 R 91 | NUP 208 EG15 | 40 x 80 x 18 | 1 |
| Front Wheel Inner | 1099263 R 91 | LM48548/510 | 34.925 x 65.088 x 18.034 | 2 |
| King Pin Brg | 707558 R 91 | T-138 TR | 35 x 67 x 20 | 2 |
| Pilot Bearing (New) | 005554802 R 91 | V 16 21 16 D | 1" x 1.5/16" x 1" | 1 |
| P.T.O. Shaft | 76491 H | 6207 | 35 x 72 x 17 | 1 |
| P.T.O. Assembly | 005551769 R 91 | DL 3020 | 30 x 38 x 20 | 1 |
| Reverse Idler | 005555713 R 91 | NB 32 42 30 | 32 x 42 x 30 | 1 |
| Rear Axle Inner | 006501430R91 | JC 8029** | 60 x 110 x 22 | 1 |
| Rear Wheel Outer | 3069349 R91 | 6212/C3 | 60 x 110 x 22 | 2 |
| Steering | 816 903 4102\$ | JR 2001 | 37 x 55.55 x 8.8 | 2 |
| Steering | 734 804 0103\$ | 3 x 15.8 BR | 3 x 15.8 | 36 |
| Sliding Quill Gear (Old) | 001099653 R 91 | RL 1816 | 1.1/8" x 1.1/2" x 1" | 2 |
| Sliding Quill Gear (New) | 005554892 R 91 | JL 2216 | 1.3/8" x 1.5/8" x 1" | 2 |
| Steering Link | 392209† | 470200 | 26.5 x 55 x 14.8 | 2 |
| Transmission Spline Shaft(Old) | 1121080 | B 60051 | 20 x 28 x 20.2 | 1 |

Used in high models † XLO India,
Part Nos. of \$ ZF Steering, ** Wetland Series Tractors, Model 275DI, 475, 575, 585



FARM EQUIPMENTS

| Fitment Location | Mfr's Part No. | NRB No. | Dimensions | No. Off. |
|--|----------------|----------------|------------------|----------|
| MAHINDRA & MAHINDRA 444 / 475 / 575 / 585 / 255 DI / 265 DI / 275 | | | | |
| Power Take Off Shaft | 5552624 R91 | 6209 | 45 x 85 x 19 | 1 |
| Power Take Off Belt Pulley Shaft Inner | 5551768 R91 | 6211 | 55 x 100 x 21 | 1 |
| Rear Axle : Bull Pinion | 3063502 R91 | 6309/C3 | 45 x 100 x 25 | 2 |
| Transmission : Main Drive Shaft | 3063502 R91 | 6309/C3 | 45 x 100x 25 | 1 |
| 235 DI | | | | |
| Engine Crank Case | 006001011B1 | N314 | 70 x 150 x 35 | 1 |
| Engine Crank Case | 006001041B1 | NUP 315 | 75 x 160 x 37 | 1 |
| 2515 / 3015 | | | | |
| Counter Shaft, Rear | 5551767 | NUP 2206 EG 15 | 30 x 62 x 20 | 1 |
| Steering | 816 903 4102\$ | JR 2001 | 37 x 55.55 x 8.8 | 2 |
| Steering | 734 804 0103\$ | 3 x 15.8 BR | 3 x 15.8 | 36 |
| Steering Link | 392209† | 470200 | 26.5 x 55 x 14.8 | 2 |
| Trans. Spline Shaft, Pilot | 20088 SH | B 60050 | 18 x 24 x 20 | 1 |
| Trans. Spline Shaft Quill Bearing | 20089 SH | B 60042 | 29 x 34 x 17 | 1 |
| 45 HP TRACTOR | | | | |
| 1st Gear | 0000 12114 P04 | B 60 053 | 30 x 35 x 27 | 1 |
| P.T.O Output Shaft - Front & Rear | 0000 12140 P04 | DL 30 20 | 30 x 38 x 20 | 2 |
| Pilot | 0000 12345 P04 | B 25 31 20 | 25 x 31 x 20 | 1 |
| Range Cluster Gear | 0000 12119 P04 | B 60 146 | 30 x 40 x 30 | 2 |
| Steering | 816 903 4102\$ | JR 2001 | 37 x 55.55 x 8.8 | 2 |
| Steering | 734 804 0103\$ | 3 x 15.8 BR | 3 x 15.8 | 36 |
| Steering Link | 392209† | 470200 | 26.5 x 55 x 14.8 | 2 |
| Under P.T.O Clutch | 0000 12122 P04 | DB 30 37 20 P | 30 x 37 x 20 | 1 |
| Under P.T.O Input Rear Shaft | 0000 12359 P04 | DB 35 20 | 35 x 43 x 20 | 1 |
| ARJUN TRACTOR - 445DI(42HP), 555DI(52HP), 605DI(60HP) | | | | |
| CRPTO Shaft | 006500197 C91 | B 32 37 17 | 32 x 37 x 17 | 2 |
| CRPTO Shaft | 006500195 C91 | B 40 45 17 | 40 x 45 x 17 | 2 |
| Differential Assembly | 0000 31058 B06 | DB 45 52 20 P | 45 x 52 x 20 | 2 |
| Rev. PTO | 006500196 C91 | JL 16 16 | 1" x 1 1/4" x 1" | 1 |
| Steering | 816 903 4102\$ | JR 2001 | 37 x 55.55 x 8.8 | 2 |
| Steering | 734 804 0103\$ | 3 x 15.8 BR | 3 x 15.8 | 36 |
| Steering Link | 392209† | 470200 | 26.5 x 55 x 14.8 | 2 |

Part No. of \$ ZF Steering, used in high HP models, † XLO India



FARM EQUIPMENTS

| Fitment Location | Mfr's Part No. | NRB No. | Dimensions | No. Off. |
|--|-------------------------|---------------|-------------------|----------|
| ARJUN TRACTOR - 4500(42HP), 6000(57HP), FULL SYNCHROMESH WITH 4 WHEEL DRIVE | | | | |
| Bearing Retainer Of Splitter | 005551769 R91 | DL 30 20 | 30 x 38 x 20 | 1 |
| Cluster Gear - Forward/Reverse Counter Shaft | 006501329 C1 | B 20 27 30 TN | 20 x 27 x 30 | 2 |
| Counter Shaft Gear - Drop Down Gear Box | 006501388 C1 | B 45 50 27 | 45 x 50 x 27 | 1 |
| Drive Shaft - Forward/Reverse Section | 006501482 C1 | B 20 26 17 | 20 x 26 x 17 | 1 |
| Idler Gear - Forward/Reverse | 006501329 C1 | B 20 27 30 TN | 20 x 27 x 30 | 1 |
| Idler Gear - Drop Down Gear Box | 000012119 P04 | B 60146 P | 30 x 40 x 30 | 1 |
| Input Gear - Forward/Reverse | 006501327 C1 | B 60118 | 40 x 45 x 27 | 1 |
| Input Gear Of Splitter | 006501359 C1 | B 50 55 30 TN | 50 x 55 x 30 | 1 |
| Pilot Bearing Drive Shaft - | 006500118 B91 | B 20 28 20 TN | 20 x 28 x 20 | |
| Pilot Bearing - Splitter | 005554802 R91 | V 16 21 16 D | 1" x 1 5/16" x 1" | 1 |
| Steering | 816 903 4102\$ | JR 2001 | 37 x 55.55 x 8.8 | 2 |
| Steering | 734 804 0103\$ | 3 x 15.8 BR | 3 x 15.8 | 36 |
| Steering Link | 392209† | 470200 | 26.5 x 55 x 14.8 | 2 |
| DHRUV-35 TO 50 HP | | | | |
| Axle Bearing | 006511676V1 | NJ 212 ECJ | 60 x 110 x 22 | 2 |
| Pilot Bearing | 006511676V1 | BB 404830TN | 40 x 48 x 30 | 1 |
| Planetary Hub | 006510519V1 | B60306TM | 37 x 51 x 27 | 12 |
| MAHINDRA SWARAJ TRACTORS | | | | |
| SWARAJ 720 | | | | |
| Gear Box - between Intermediate & Output Shafts | M 22511 | DL 2016 | 20 x 26 x 16 | 1 |
| Gear Box - between Input & Intermediate Shafts | M 22511 | DL 2016 | 20 x 26 x 16 | 1 |
| Hydraulic Pump Shaft | M 22551 | JL 108 | 5/8 x 13/16 x 1/2 | 1 |
| Lay Shaft, Rear | M 20115 | 6208 | 40 x 80 x 18 | 1 |
| Pilot | M 22511 | DL 2016 | 20 x 26 x 16 | 1 |
| Planetary Gears | M 22427 (02-02-0205) | 3 x 13.8 BR | 3 x 13.8 | 178 |
| P.T.O Shaft, Rear | M 20112 | 6207 | 35 x 72 x 17 | 1 |
| Steering | 734 804 0103\$ | 3 x 15.8 BR | 3 x 15.8 | 36 |
| Steering | 816 903 4102\$ | JR 2001 | 37 x 55.55 x 8.8 | |
| Steering Link | 392209† | 470200 | 26.5 x 55 x 14.8 | 2 |
| Tail Pinion | M 21410 | JC 8002 | 30 x 62 x 19.05 | 1 |
| SWARAJ 722 / 724 / 733 / 735 | | | | |
| Bull Pinion Shaft, Right | M 22516 | DL 3020 | 30 x 38 x 20 | 1 |
| Bull Pinion Shaft, Left | M 22601 | BB 50347 | 42 x 46 x 51.4 | 1 |
| Dynamo | | 6202 2Z C3 | 15 x 35 x 11 | 1 |

Part Nos. of † XLO India, \$ ZF Steering



FARM EQUIPMENTS

| Fitment Location | Mfr's Part No. | NRB No. | Dimensions | No. Off. |
|---|----------------|---------------|--------------------|----------|
| Gear Box - between Input & Intermediate Shaft | M 22511 | DL 2016 | 20 x 26 x 16 | 1 |
| Intermediate Shaft, Centre | M 20115 | 6208 | 40 x 80 x 18 1 256 | |
| Gear Box - between Intermediate & Output Shafts | M 22511 | DL 2016 | 20 x 26 x 16 1 48 | |
| | M 22426 | 2.5 x 13.8 BR | 2.5 x 13.8 | 138 |
| Hydraulic Pump Shaft | M 22551 | JL 108 | 5/8 x 13/16 x 1/2 | 1 |
| Pilot | M 22428 | 3 x 21.8 BR | 3 x 21.8 | 24 |
| Planetary Gears | M 22427 | 3 x 13.8 BR | 3 x 13.8 | 142 |
| | (02-02-0205) | | | |
| Planetary Gears | M 22428 | 3 x 21.8 BR | 3 x 21.8 | 56 |
| P.T.O Shaft, Rear & Front | M 20112 | 6207 | 35 x 72 x 17 | 2 |
| Steering | 816 903 4102\$ | JR 2001 | 37 x 55.55 x 8.8 | 2 |
| Steering | 734 804 0103\$ | 3 x 15.8 BR | 3 x 15.8 | 36 |
| Steering Link | 392209† | 470200 | 26.5 x 55 x 14.8 | 2 |
| SWARAJ SAMRAT 855 / 744 | | | | |
| Bull Pinion Shaft, Right | M 22516 | DL 3020 | 30 x 38 x 20 | 1 |
| Bull Pinion Shaft, Left | M 22601 | BB 50347 | 42 x 46 x 51.4 | 1 |
| Dynamo | 6202 2Z C3 | 15 x 35 x 11 | 15 x 35 x 11 | 1 |
| Gear Box - between Input & Intermediate Shafts | M 22511 | DL 2016 | 20 x 26 x 16 | 1 |
| Gear Box - between Intermediate Shaft & Output Shaft | M 22511 | DL 2016 | 20 x 26 x 16 | 1 |
| Hydraulic Pump Shaft | M 22551 | JL 108 | 5/8 x13/16x1/2 | 1 |
| Intermediate Shaft, Centre | M 20115 | 6208 | 40 x 80 x 18 | 1 |
| Pilot | M 22428 | 3 x 21.8 BR | 3 x 21.8 | 24 |
| Planetary Gears | M 22427 | 3 x 13.8 BR | 3 x 13.8 | 142 |
| | (02-02-0205) | | | |
| Planetary Gears | M 22428 | 3 x 21.8 BR | 3 x 21.8 | 56 |
| P.T.O Shaft, Rear & Front | M 20112 | 6207 | 35 x 72 x 17 | 2 |
| Rear Wheel Inner | M20129 | 6212 | 60 X 110 X 22 | 2 |
| Rear Wheel Outer | M20121 | 6211 | 55 X 100 X 21 | 2 |
| Steering | 816 903 4102\$ | JR 2001 | 37 x 55.55 x 8.8 | 2 |
| Steering | 734 804 0103\$ | 3 x 15.8 BR | 3 x 15.8 | 36 |
| Steering Link | 39 22 09† | 470 200 | 26.5 x 55 x 14.8 | 2 |
| Transmission : Lay Shaft Front | M20125 | 6210 | 50 X 90 X 20 | 1 |
| Transmission : Lay Shaft Rear | M20125 | 6210 | 50 X 90 X 20 | 1 |
| Transmission : Input Shaft | M20119 | 6209 | 45 X 85 X 19 | 1 |
| Water Pump | M 20109 | 6302 | 15 x 42 x 13 | 1 |

Part Nos. of † XLO India, \$ ZF Steering



FARM EQUIPMENTS

| Fitment Location | Mfr's Part No. | NRB No. | Dimensions | No. Off. |
|--|----------------|-------------------|--------------------------|----------|
| NEW HOLLAND TRACTORS | | | | |
| NHI 982 - 55 HP / NHI 971 - 75 HP | | | | |
| Central Reduction Gear Assembly | 28044400 | 3 x 23.8 BSM | 3 x 23.8 | 54 |
| Drive Gear Shaft | 4950845 | NUP 208 EG15 | 40 x 80X 18 | 1 |
| Gear Shifter Control | 20063390 | 11 / 32 balls | 11 / 32 | 3 |
| Gearing Transmission | 20715580 | 6205 C3 | 25 x 52 x 15 | 1 |
| Power Take Off Shaft, Front | 20705250 | 6207 | 35 x 72 x 17 | 1 |
| Power Take Off Shaft, Rear | 20685450 | 6206 C3 | 30 x 62 x 16 | 1 |
| Reverse Shaft | 596031 | DL 2016 | 20 x 26 x 16 | 1 |
| Roller Casing | 5109160 | DB 14 20 12 P | 14 x 20 x 12 | 2 |
| Rear Drive Shaft | 5125824 | NJ 2207 EG15 | 35 x 72 x 23 | 1 |
| | 5117138 | DB 12 16 10 P | 12 x 16 x 10 | 4 |
| MDL PROJECT | | | | |
| Transmission | 84472311 | B 60487 | 40 x 48 x 16 | 1 |
| Transmission | 84472302 | DB404820P | 40 x 48 x 20 | 1 |
| Transmission | 84495297 | B60280D | 45 x 53 x 28 | 1 |
| Transmission | 5128943 | B404527 | 40 x 45 x 27 | 1 |
| Transmission | 84472311 | B60487 | 40 x 48 x 16 | 1 |
| Transmission | 84156485 | NB384820 | 38 x 48 x 20 | 1 |
| Transmission | 84472302 | NB404820 | 40 x 48 x 20 | 1 |
| Transmission | 84156494 | 5 x 41.8 BR | 5 x 41.8 | 1 |
| Transmission | 84561461 | 18 x 24 x 20 BR | 18 x 24 x 20 | 1 |
| Transmission | 84156480 | B60050 | 18 x 24 x 20 | 1 |
| Transmission | 5145492 | B60146 | 30 x 40 x 30 | 1 |
| Transmission | 82824505 | DB121610P | 12 x 16 x 10 | 1 |
| TRACTORS AND FARM EQUIPMENT | | | | |
| 75 HP Tractor | | | | |
| Transmission | 2349P0020103 | B60505 | 55M x 63 x 24.9 | 1 |
| Transmission | 3002255X1 | B60085D | 25.6 x 32.85 x 23.8 | 1 |
| Transmission | 4255899M01 | NB304020 | 40 x 30 x 20 | 1 |
| Transmission | 1663796M01 | NTA4860 | 76.2 x 95.25 x 1.984 | 1 |
| AGCO Export | | | | |
| Transmission | 4255933M01 | SP196 | 16 x 63 | 1 |
| Transmission | 0834733M01 | JC306223.8 | 30 x 62 x 23.8 | 1 |
| Transmission | 0191250M01 | JC8002C | 30 x 62 x 19 | 1 |
| Transmission | 3762988M1 | B60494 | 60 x 65 x 30 | 1 |
| Transmission | 6289914M1 | B60495 | 60 x 65 x 20 | 1 |
| Transmission | 1677724M01 | RL2012 | 31.75 x 41.28 x 19.05 | 1 |
| Transmission | 0022323P01 | 6.193 x 23.75 BPM | 6.193 x 23.75 | 1 |
| TAFE - MF 245 / MF 375 / MAHAN | | | | |
| Bevel Pinion Pilot | 0191250 M 01 | JC 8002 | 30 x 62 x 19.05 | 1 |
| Drive Shaft | 2700273 M 01 | V 16 21 16 D | 1 x 1.1/3 x 1 | 1 |
| Dynamo | 189237 M1 | 6202 2Z C3 | 15 x 35 x 11 | 1 |
| Front Wheel Inner | 1851800 M 91 | LM48548/510 | 34.925 x 65.088 x 18.034 | 2 |
| Hydraulic Pump | 1000251 M 01 | JL 108 | 5/8 x 13/16 x 1/2 | 1 |



FARM EQUIPMENTS

| Fitment Location | Mfr's Part No. | NRB No. | Dimensions | No. Off. |
|------------------------------------|----------------|------------------|--------------------------|----------|
| Main Shaft, Front | 0338552 M 01 | JC 8003 | 50 x 80 x 15 | 1 |
| Main Shaft | 04242168 E 01 | NUP 210 ENTNR†† | 50 x 90 x 20 | 1 |
| Planetary Pinion | 0897025 M 01 | 2.778 x 11.17 BR | 2.778 x 11.17 | 162 |
| Power Take Off Drive | 0195453 M 01 | JL 228 | 1.3/8 x 1.5/8 x 1/2 | 2 |
| P.T.O. Drive Shaft Front | 0886668 M 01 | JV 90019* | 41.16 x 49.418 x 16.08 | 1 |
| Reverse Cluster Gear | 0183039 M 01 | 3.2 x 19.3 BR | 3.2 x 19.3 | 56 |
| Rear Drive Shaft, Trans | 0195513 M 01 | JL 1212 | 3/4 x 1 x 3/4 | 1 |
| Shaft Planetary | 0897019 M 01 | SP 049 | 21.17 x 40.23 | 3 |
| Steering Link | 302839† | JB 1003 | 19.6 x 51 x 14.5 | 2 |
| Water Pump | 825375 M1 | 6202 Z | 15 x 35 x 11 | 2 |
| TAFE - MF 1035/1035 DI/1025 | | | | |
| Bevel Pinion Pilot | 0191250 M 01 | JC 8002 | 30 x 62 x 19.05 | 1 |
| Dynamo | 189237 M1 | 6202 2Z C3 | 15 x 35 x 11 | 1 |
| Front Wheel Inner | 1851800 M 91 | LM48548/510 | 34.925 x 65.088 x 18.034 | 2 |
| Hydraulic Pump | 1000251 M 01 | JL 108 | 5/8 x 13/16 x 1/2 | 1 |
| King Pin - Swivel | 195175 M1 | T-126 TR | 32.004 x 55.562 x 15.875 | 2 |
| Planetary Pinion | 0897025 M 01 | 2.778x11.17 BR | | 162 |
| Power Take Off Drive | 0195453 M 01 | JL 228 | 1.3/8 x 1.5/8 x 1/2 | 1 |
| Power Take Off Pully | 0195472 M 01 | JLH 2816 | 1.3/4 x 2.1/8 x 1 | 1 |
| Power Take Off Shaft | 713923M1 | 6210 | 50 x 90 x 20 | 1 |
| Pulley Drive Shaft Centre | GA 1173 | 6206 | 30 x 62 x 16 | 1 |
| Rear Drive Shaft Transmission | 0195513 M 01 | JL 1212 | 3/4 x 1 x 3/4 | 1 |
| Reverse Cluster Gear | 0183039 M 01 | 3.2 x 19.3 BR | | 56 |
| Shaft Planetary | 897019 | M 01 SP 049 | 21.17 x 40.23 | 3 |
| Steering Link | 302839† | JB 1003 | 19.6 x 51 x 14.5 | 2 |
| Water Pump | 825375 M1 | 6202 Z | 15 x 35 x 11 | 2 |
| GAJRAJ - 60 HP TRACTOR | | | | |
| Bevel Pinion Pilot | 0191250 M 01 | JC 8002 | 30 x 62 x 19.05 | 1 |
| Crank Shaft | V 001 0200 830 | NJ 310 | 50 x 110 x 27 | 1 |
| Planetary Gears | 0184 742 M 01 | 3.175 x 21.59 BR | 3.175 x 21.59 | 348 |
| Planetary Gears | 0186 6553 M 2 | 5.542 x 13.67 BP | 5.542 x 13.67 | 96 |
| Rear Drive Shaft Transmission | 0195513 M 01 | JL 1212 | 3/4" x 1" x 3/4" | 1 |
| Steering Link | 302839† | JB 1003 | 19.6 x 51 x 14.5 | 2 |
| SAMRAT | | | | |
| Bevel Pinion Pilot | 0191250 M 01 | JC 8002 | 30 x 62 x 19.05 | 1 |
| Drive Shaft | 2700273 M 01 | V 16 21 16 D | 1" x 1.1/3" x 1" | 1 |
| Main Shaft | 04242168 E 01 | NUP 210 ENTNR | 50 x 90 x 20 | 1 |
| Planetary Pinion | 0897025 M 01 | 2.778 x 11.17 BR | 2.778 x 11.17 | 162 |
| Power Take Off Drive | 0195453 M 01 | JL 228 | 1.3/8" x 1.5/8" x 1/2" | 2 |
| Reverse Cluster Gear | 0183039 M 01 | 3.2 x 19.3 BR | 3.2 x 19.3 | 28 |
| Rear Drive Shaft Transmission | 0195513 M 01 | JL 1212 | 3/4" x 1" x 3/4" | 1 |
| Shaft Planetary | 0897019 M 01 | SP 049 | 21.17 x 40.23 | 3 |
| Steering Link | 302839† | JB 1003 | 19.6 x 51 x 14.5 | 2 |

Part No. of † XLO India, * Dual Clutch, †† New Transmission



FARM EQUIPMENTS

Fitment Location Mfr's Part No. NRB No. Dimensions No. Off.

TAFE (FORMERLY EICHER MOTORS) MOTORS AND TRACTORS

EICHER - 241 / 241 A

| | | | | |
|---------------------------------------|----------|----------------|-----------------|---|
| Blower | 1165 094 | 2203 ETN** | 17 x 40 x 16 | 2 |
| Crank Shaft, Front | 1120 116 | N 314* | 70 x 150 x35 | 1 |
| Crank Shaft Rear | 1120 153 | NUP 315* | 75 x 160 x37 | 1 |
| Crank Shaft | 1165 057 | NUP 313 ECJ C4 | 65 x 140 x 33 | 2 |
| Counter Shaft Front | 2020130 | 6210/C3 | 50 X 90 X 20 | 1 |
| Cam Shaft, Front & Rear | 1120 161 | 6305 C2 | 25 x 62 x 17 | 2 |
| Eccentric Shaft of Hydraulic Pump | 1040078 | NB 32 42 20 | 32 x 42 x 20 | 2 |
| Eccentric Shaft of Hydraulic Pump | 1040078 | IM 28 32 20 P | 28 x 32 x 20 | 2 |
| ESD | 1241 891 | 6202 | 15 x 35 x 11 | 1 |
| Front Wheel Inner | 1150 297 | 32207 BV | 35 x 72 x 20.75 | 2 |
| Front Wheel Outer | 1150 303 | 30305 BV | 25 x 62 x 18.25 | 2 |
| Gear Box - Axle | 1010 116 | NB 32 42 30 | 32 x 42 x 30 | 2 |
| Gear Box - Lay Shaft | 1010 128 | NAM 50 68 25 | 50 x 68 x 25 | 1 |
| Gear Box between Drive & Main Shafts | 1249 307 | B 60050 | 18 x 24 x 20 | 1 |
| Governer System | 1165 070 | 16016† | 80 x125 x 14 | 1 |
| Hydraulic Pump | 104006 | 6303 C3 | 17 x 47 x 14 | 2 |
| Main Shaft, Rear | 1150 327 | 6208 N C3 | 40 x 80 x 18 | 1 |
| Power Take Off Shaft, Rear | 1010 207 | 6207 | 35 x 72 x 17 | 1 |
| Rear Wheel Inner | 1010232 | 6212/C3 | 60 x 110 x 22 | 2 |
| Reduction Shaft | 1010220 | 6211/C3 | 55 x 100 x 21 | 2 |
| Rear Wheel Outer | 1010220 | 6211/C3 | 55 x 100 x 21 | 2 |
| Split Gear Box (G1 ± G2)—Lay Shaft | 1010 130 | DB 50 58 20 P | 50 x 58 x 20 | 1 |

EICHER - 242 / 242 A, 312 & 364

| | | | | |
|-----------------------------------|------------|---------------|-----------------|---|
| Blower | 1165 094 | 2203 ETN** | 17 x 40 x 16 | 2 |
| Cluster Gear | 1010 177 | B 50 55 30 | 50 x 55 x 30 | 2 |
| Crank Shaft, Front | 1120 116 | N 314* | 70 x 150 x 35 | 1 |
| Crank Shaft Rear | 1120 153 | NUP 315* | 75 x 160 x 37 | 1 |
| Crank Shaft | 1165 057 | NUP 313** | 65 x 140 x 33 | 2 |
| Cam Shaft, Front & Rear | 1120 141 | 6305 C2 | 25 x 62 x 17 | 2 |
| Cam Shaft | 1241 011 | 6004 C3†† | 20 x 42 x 12 | 1 |
| Eccentric Shaft of Hydraulic Pump | 2610 40078 | NB 32 42 20 | 32 x 42 x 20 | 2 |
| | 1004 0078 | IM 28 32 20 P | 28 x 32 x 20 | 2 |
| Front Wheel Inner | 1150 297 | 32207 BV | 35 x 72 x 20.75 | 2 |
| Front Wheel Outer | 1150 303 | 30305 BV | 25 x 62 x 18.25 | 2 |
| Gear Box-Axle | 1010 116 | NB 32 42 30 | 32x 42 x 30 | 2 |
| Gear Box Lay Shaft | 1010 153 | NUP 208 EG 15 | 40 x 80 x 18 | 1 |
| Gear Box PTO Shaft | 1010 207 | 6207†† | 35 x 72 17 | 3 |
| Governer System | 1165 070 | 16016† | 80 x125 x 14 | 1 |
| Hydraulic Pump | 104006 | 6303 C3 | 17 x 47 x 14 | 2 |

Used in * Dual Clutch, †† New Transmission, † XLO India Part No.



FARM EQUIPMENTS

| Fitment Location | Mfr's Part No. | NRB No. | Dimensions | No. Off. |
|-----------------------------|----------------|---------------|---------------|----------|
| Main Shaft, Rear | 1150 327 | 6208 N C3 | 40 x 80 x 18 | 1 |
| P.T.O. Shaft, Rear | 1010 207 | 6207 | 35 x 72 x 17 | 1 |
| Pilot Bearing | 2610 10165 | DB 20 26 16 P | 20 x 26 x 16 | 2 |
| Primary Shaft | 1150 327 | 6208 N | 40 x 80 x 18 | 1 |
| Rear Wheel Inner | 1010232 | 6212/C3 | 60 X 110 X 22 | 2 |
| Rear Axle : Reduction Shaft | 1010220 | 6211/C3 | 55 X 100 X 21 | 1 |
| Rear Wheel Outer | 1010220 | 6211/C3 | 55 X 100 X 21 | 2 |

EICHER - 61HP VALTRA

| | | | | |
|---------------------|---------|---------------|--------------|-----|
| Clutch Assembly | LA 9183 | NB 25 33 20 P | 25 x 33 x 20 | 2 |
| P. T. O. | LB 8179 | 3.5 x 19.8 BR | 3.5 x 19.8 | 360 |
| | LA 9191 | B 47 53 25 | 47 x 53 x 25 | 2 |
| | | B 600 22 | 25 x 30 x 20 | 1 |
| | | DB 7119 P | 7 x 11 x 9 | 1 |
| Suspension Assembly | LA 9124 | DB 25 32 20 P | 25 x 32 x 20 | 1 |

UZEL CORPORATION

| | | | | |
|-------------------------|------------|------------------|------------------------|-----|
| Bevel Pinion Pilot | 0191250M1 | JC 8002 | 30 x 62 x 19.05 | 1 |
| Drive Shaft | 2700273M1 | V 16 21 16 D | 1 x 1.1/3 x 1 | 1 |
| Hydraulic Pump | 1000251M1M | JL 10 8 | 5/8 x 13/16 x 1/2 | 1 |
| Main Shaft Front | 0338552M1M | JC 8003 | 50 x 80 x 15 | 1 |
| Planetary Pinion | 897025M1M | 2.778 x 11.17 BR | 2.778 x 11.17 | 162 |
| Planetary Gears | 1686990M1 | 6.19 x 23.75 BP | 6.19 x 23.75 | |
| Planetary Gears | 834167M1M | 3.175 x 17.52 BR | 3.175 x 17.52 | |
| Power Take Off Drive | 194553M1M | JL 22 8 | 1.3/8 x 1.5/8 x 1/2 | 2 |
| P.T.O Drive Shaft Front | 088668M1M | JV 90 019 | 41.16 x 49.418 x 16.08 | 1 |
| Rear Drive Shaft, Trans | 0195513M01 | JL 1212 | 3/4 x 1 x 3/4 | 1 |
| Rear Axel Reduction | 0184742M1M | 3.175 x 21.8 BR | 3.175 x 21.8 | 348 |
| Rear Axel Carrier Pin | 3612442M1M | 3.15 x 10.8 BR | 3.15 x 10.8 | |
| Reverse Gear Cluster | 0183039M1 | 3.2 x 19.3 BR | 3.2 x 19.3 | 56 |
| Transaxel Unit | 3614399M1M | 4 x 25.8 BR | 4 x 25.8 | |

VST TILLERS TRACTORS

| | | | | |
|------------------------|----------------|--------------|---------------|---|
| Crank Shaft | V 001 0200 930 | NUP 310 | 50 x 110 x 27 | 1 |
| Crank Shaft | V 001 0200 830 | NJ 310 | 50 x 110 x 27 | 1 |
| Selector Reverse Shaft | 780 2182 412 | B 60002 | 18 x 24 x 12 | 2 |
| Shaft Governor | MM 406420 | DB 90 020 | 10 x 14 x 15 | 1 |
| Shaft Governor | MM 406421 | DB 90 021 | 10 x 17 x 15 | 1 |
| Shaft Counter | 1135 132 5000 | B 60093 TM | 25 x 31 x 17 | 4 |
| Shaft Selector | 1007 120 5000 | B 15 21 15 T | 15 x 21 x 15 | 1 |



| Fitment Location | Mfr's Part No. | NRB No. | Dimensions | No. Off. |
|------------------|----------------|---------|------------|----------|
|------------------|----------------|---------|------------|----------|

SNL BEARINGS LTD.

BAJAJ TEMPO

OX-45 / OX-35

| | | | | |
|-------------------------|-------------------|---------|-------------|---|
| Driver Shaft Clutch End | B 00817 981 09 10 | HK 3020 | Needle Bush | 1 |
| Pump Driver | B 00817 981 08 10 | HK 1312 | Needle Bush | 1 |

EICHER TRACTORS

EICHER-241 / 241 A

| | | | | |
|----------------|---------|---------|-------------|---|
| Split Gear Box | 1010130 | HK 5020 | Needle Bush | 1 |
|----------------|---------|---------|-------------|---|

ESCORTS LTD. (TRACTOR DIV.)

ESCORTS - E 325, 335.440,450

| | | | | |
|---------------|-------------|--------------|---------------|----|
| Counter Shaft | 54.27.01.01 | NRA 3 x 19.8 | Needle Roller | 44 |
|---------------|-------------|--------------|---------------|----|

HMT

ZETOR 2522 / 3022 / 3522

| | | | | |
|---------------------------|----------|--------------|-------------|---|
| Main Shaft, Pilot Bearing | 99235408 | KZK 20 26 17 | Needle Cage | 1 |
| Reverse Idler | 99235408 | KZK 20 26 17 | Needle Cage | 2 |

TAFE MOTORS & TRACTORS

EICHER-242 / EICHER - 242 A & 312

| | | | | |
|---------------|------------|---------|-------------|---|
| Pilot Bearing | 2610 10165 | HK 2016 | Needle Bush | 2 |
|---------------|------------|---------|-------------|---|



FARM EQUIPMENTS



